

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|---|---|------------------|
| 1 | 2 | " 6,530,065 B1" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/09 12:46 |
| - | 24123 | ((server\$3 or remote\$1) with display\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 12:24 |
| - | 2502 | ((server\$3 or remote\$1) with display\$3 with client).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 12:24 |
| - | 35 | ((server\$3 or remote\$1) with display\$3 with client same password).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 12:27 |
| - | 32 | (server\$3 with display\$3 with client same password).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 12:28 |
| - | 11 | (server\$3 with display\$3 with client with password).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 12:32 |
| - | 54 | ((server\$3 or remote) with display\$3 with client with shar\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 13:26 |
| - | 67 | ((server\$3 or remote) with display\$3 with data with shar\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 13:27 |
| - | 142 | (server\$3 with display\$3 with shar\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 13:27 |
| - | 53 | (server\$3 with display\$3 with shar\$3 with client).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 14:02 |
| - | 2 | (remote with display\$3 with shar\$3 with client).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 14:03 |
| - | 137 | (remote with display\$3 with client).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 14:22 |
| - | 12902 | (remote with display\$3 originat\$3 with client).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 14:22 |
| - | 11875 | (server with display\$3 originat\$3 with client).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 14:23 |

| | | | | |
|---|------|---|---|------------------|
| - | 4 | (server with display\$3 with originat\$3 with client).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 14:25 |
| - | 0 | (remote with display\$3 with originat\$3 with client).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 14:25 |
| - | 21 | (server with display\$3 with originat\$3 with client) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 14:37 |
| - | 177 | (server with display\$3 with originat\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 14:36 |
| - | 34 | (server with display\$3 with originat\$3) same client | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 14:36 |
| - | 34 | (server with display\$3 with originat\$3 same client) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 14:39 |
| - | 376 | (server with display\$3 with shar\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 14:40 |
| - | 140 | (server with display\$3 with shar\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:02 |
| - | 16 | ((server with display\$3 with shar\$3).ab.) & (real near2 time) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:02 |
| - | 1940 | ((server or remote) with display\$3 with monitor\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 14:59 |
| - | 98 | ((server or remote) with display\$3 with monitor\$3 with client).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 14:59 |
| - | 93 | ((server) with display\$3 with monitor\$3 with client).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:00 |
| - | 11 | (((server) with display\$3 with monitor\$3 with client).ab.) & (real near2 time) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:00 |
| - | 61 | (server with display\$3 with shar\$3 same client).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:15 |

| | | | | |
|---|-----|--|---|------------------|
| - | 8 | ((server with display\$3 with shar\$3 same client).ab.) & (real near2 time) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:41 |
| - | 3 | ((server with display\$3 with shar\$3 same client).ab.) & pixel\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:07 |
| - | 9 | (server with display\$3 with pixel\$1 same client).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:54 |
| - | 4 | ((display\$3 with pixel\$1 with shar\$3).ab.) & (real near2 time) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:21 |
| - | 1 | (display\$3 with pixel\$1 with shar\$3 & remote).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:22 |
| - | 4 | ((display\$3 with pixel\$1 with shar\$3).ab.) & remote | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:23 |
| - | 2 | (display\$3 with pixel\$1 with shar\$3 & server).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:22 |
| - | 110 | (display\$3 with pixel\$1 with shar\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:25 |
| - | 2 | ((display\$3 with pixel\$1 with shar\$3).ab.) & server & client | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:24 |
| - | 3 | ((display\$3 with pixel\$1 with shar\$3).ab.) & server | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:24 |
| - | 2 | ((display\$3 with pixel\$1 with shar\$3).ab.) & client | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:25 |
| - | 33 | (display\$3 with pixel\$1 same server).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:34 |
| - | 4 | ((display\$3 with pixel\$1 same server).ab.) & (real near2 time) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:31 |
| - | 4 | (((display\$3 with pixel\$1 same server).ab.) & (real near2 time)) & (display\$3 with server) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 15:28 |

| | | | | |
|---|-------|--|---|------------------|
| - | 563 | (display\$3 with server with monitor\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 15:31 |
| - | 76 | ((display\$3 with server with monitor\$3).ab.) &(real near2 time) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 15:31 |
| - | 29 | (display\$3 with pixel\$1 same client).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 15:32 |
| - | 5 | (monitor\$3 with pixel\$1 same server).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 15:34 |
| - | 2 | (monitor\$3 with pixel\$1 with server).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 15:35 |
| - | 15 | (display\$3 with pixel\$1 with server).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 15:41 |
| - | 11630 | (display\$3 with server).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 16:35 |
| - | 434 | ((display\$3 with server).ab.) & (real near2 time)& client | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 15:42 |
| - | 87 | ((display\$3 with server).ab.) & (real near2 time)& client & password | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 15:43 |
| - | 6 | ((display\$3 with server).ab.) & (real near2 time)& client & password & pixel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 15:58 |
| - | 33 | ((display\$3 with server).ab.) & (real near2 time)& client & pixel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 16:05 |
| - | 434 | ((display\$3 with server).ab.) & (real near2 time)& client | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 16:05 |
| - | 151 | ((display\$3 with server).ab.) & (real near2 time)& client & shar\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 16:06 |
| - | 67 | ((display\$3 with server).ab.) & (real near2 time)& client & shar\$3 near2 (data or event\$1 or information) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/08 16:08 |

| | | | | |
|---|------|--|---|------------------|
| - | 18 | ((display\$3 with server).ab.) & (real near2 time)& client &((shar\$3 near2 (data or event\$1 or information)) with display\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:41 |
| - | 0 | ((display\$3 with server).ab.) & instrumentation & client &((shar\$3 near2 (data or event\$1 or information)) with display\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:15 |
| - | 335 | ((display\$3 with server).ab.) & eduction& client &((shar\$3 near2 (data or event\$1 or information)) with display\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:15 |
| - | 0 | ((display\$3 with server).ab.) & eduction & client &((shar\$3 near2 (data or event\$1 or information)) with display\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:15 |
| - | 56 | ((display\$3 with server).ab.) & client &((shar\$3 near2 (data or event\$1 or information)) with display\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:16 |
| - | 56 | ((display\$3 with server).ab.) & client &((shar\$3 near2 (data or event\$1 or information)) with display\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:36 |
| - | 2620 | (display\$3 near2 server).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:35 |
| - | 27 | ((display\$3 near2 server) same client same shar\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:36 |
| - | 27 | ((display\$3 near2 server) same client same shar\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:40 |
| - | 634 | ((display\$3 near2 server) same client).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:41 |
| - | 67 | (((display\$3 near2 server) same client).ab.) & (real near2 time) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:41 |
| - | 486 | ((display\$3 near2 server) with client).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:41 |
| - | 97 | ((display\$3 near2 server) same client).ti. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:42 |
| - | 1 | ((display\$3 near2 server) with client same real).ti. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:42 |

| | | | | |
|---|-----|---|---|------------------|
| - | 97 | ((display\$3 near2 server) with client).ti. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:45 |
| - | 2 | (((display\$3 near2 server) with client).ti.) & (real near2 time) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:49 |
| - | 2 | " 6,370,487 B1" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:48 |
| - | 2 | (((display\$3 near2 server) with client).ti.) & (password) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 16:49 |
| - | 110 | (display\$3 with pixel\$1 with shar\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/08 17:00 |
| - | 2 | " 6,530,065 B1" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/09 09:34 |
| - | 0 | (display\$3 with redispatch\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/09 09:35 |
| - | 352 | (display\$3 with dispatch\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/09 09:35 |
| - | 1 | (display\$3 with re near2 dispatch\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/09 09:36 |
| - | 0 | (display\$3 with re near2 dispatch\$3) with server same client | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/09 09:36 |
| - | 0 | (display\$3 with re near2 dispatch\$3) with server | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/09 09:36 |
| - | 0 | (display\$3 with re near2 dispatch\$3) same server | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/09 09:36 |
| - | 1 | (display\$3 with re near2 dispatch\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/09 10:56 |
| - | 7 | " 6,151,020" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/10/09 12:46 |

| | | | | |
|---|----|---|---|------------------|
| - | 0 | (passwork with server with client same display\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/09 11:20 |
| - | 35 | (password with server with client same display\$3).ab. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/10/09 11:20 |